

  
**SUMMIT™**  
OPEN LUXURY FIREPLACES

BY GRAND CANYON GAS LOGS



ON DISPLAY: 60" Summit Linear, Bedrock Traditional

602 344 4217 • [customerservice@grandcanyongaslogs.com](mailto:customerservice@grandcanyongaslogs.com)





**Summit Open Luxury Fireplaces** is redefining home elegance with innovative fireplace solutions. Our Summit Open Linear Luxury Fireplace is designed with a sleek, modern aesthetic and a variety of customizable features; the Summit series offers a range of installation configurations, panel options, and burner choices, including the Bedrock Contemporary or Bedrock Traditional with Driftwood GlowFire™ Logs

Whether you want to enhance your home's ambiance with a contemporary or traditional look, you can create a custom fireplace that perfectly complements your home's aesthetic.

---

**SIZES** 48" 60" 72"

#### **CONFIGURATION OPTIONS**

|              |                                        |
|--------------|----------------------------------------|
| Front View   | } <i>all configurable from one SKU</i> |
| Left Corner  |                                        |
| Right Corner |                                        |
| Bay          |                                        |

#### **BURNERS**

Bedrock Traditional or Bedrock Contemporary

#### **PANEL OPTIONS**

Matte Black | Glossy Black | Black Fluted Fiber

**VENTING** 12" B-Vent System



#### **CONTROLS**

Multifunction SIT ProFlame Burner Remote and LED Remote or App for integrated LED light controls

#### **VIEWING AREA**

24" Standard *with the option to reduce the viewing area to 18"*

## BEDROCK CONTEMPORARY MODELS



15,000 BTUs per foot

Must add ½" reflective glass (5 lbs/foot) or lava granules

Optional cannonballs or concrete driftwood logs

## BEDROCK CONTEMPORARY FIREPLACE BURNER SPECIFICATIONS


### NATURAL GAS MODELS

| MODEL        | RATED  | RATED  |
|--------------|--------|--------|
| NG MODELS    | High   | Low    |
| SML-48BR-VEN | 60,000 | 40,000 |
| SML-60BR-VEN | 75,000 | 50,000 |
| SML-72BR-VEN | 90,000 | 60,000 |

### LIQUID PROPANE MODELS

| MODEL        | RATED  | RATED  |
|--------------|--------|--------|
| LP MODELS    | High   | Low    |
| SML-48BR-VEP | 60,000 | 30,000 |
| SML-60BR-VEP | 75,000 | 40,000 |
| SML-72BR-VEP | 90,000 | 50,000 |

## BEDROCK TRADITIONAL MODELS



Driftwood \*GlowFire™ logs included  
Must add 1/2" reflective glass  
or lava granules (5 lbs/foot)

## BEDROCK TRADITIONAL FIREPLACE BURNER SPECIFICATIONS

### NATURAL GAS MODELS

| MODEL         | RATED  | RATED  |
|---------------|--------|--------|
| LP MODELS     | High   | Low    |
| SML-48BRT-VEN | 69,000 | 45,000 |
| SML-60BRT-VEN | 95,000 | 60,000 |
| SML-72BRT-VEN | 95,000 | 60,000 |

### LIQUID PROPANE MODELS

| MODEL         | RATED  | RATED  |
|---------------|--------|--------|
| LP MODELS     | High   | Low    |
| SML-48BRT-VEP | 62,000 | 30,000 |
| SML-60BRT-VEP | 85,000 | 40,000 |
| SML-72BRT-VEP | 85,000 | 40,000 |

\*Patent Pending



FRONT



BAY




RIGHT CORNER



CORNER

## LIGHTING, CONTROLS, AND ACCESSORIES


### SIT PROFLAME II REMOTE — Ignition and flame controls with five flame heights




Scene and music customization is available within the app.

Lighting controls available through a remote or an iOS and Android compatible app that allows user to manage LED lighting in the ember bed across the full-color spectrum and halogen downlighting.


### FIREPLACE PANELS — Choose from three fireplace panel sets



BLACK GLOSS



BLACK MATTE



BLACK FLUTED FIBER


### 6" REDUCTION PANEL KITS

This kit reduces the viewing area height from 24" to 18". It includes the reduction panel and side drywall stops.

# FRAME IN SPECIFICATIONS

## FRONT VIEW


| MODEL        | FRAMING DIMENSIONS |     |         | BOTTOM TO DRYWALL STOP | VIEWING AREA |
|--------------|--------------------|-----|---------|------------------------|--------------|
|              | A                  | B   | C       | D                      | E            |
| SML-48XXX-XX | 54 1/8"            | 47" | 20 1/2" | 6 3/4"                 | 50 1/4"      |
| SML-60XXX-XX | 66 1/8"            | 47" | 20 1/2" | 6 3/4"                 | 62 1/4"      |
| SML-72XXX-XX | 78 1/8"            | 47" | 20 1/2" | 6 3/4"                 | 74 1/4"      |



## LEFT CORNER


(Reverse for right corner)

| MODEL        | FRAMING DIMENSIONS |     |         | BOTTOM TO DRYWALL STOP | VIEWING AREA |
|--------------|--------------------|-----|---------|------------------------|--------------|
|              | A                  | B   | C       | D                      | E            |
| SML-48XXX-XX | 54 1/8"            | 47" | 20 1/2" | 6 3/4"                 | 50 1/4"      |
| SML-60XXX-XX | 66 1/8"            | 47" | 20 1/2" | 6 3/4"                 | 62 1/4"      |
| SML-72XXX-XX | 78 1/8"            | 47" | 20 1/2" | 6 3/4"                 | 74 1/4"      |



## BAY

| MODEL        | FRAMING DIMENSIONS |     |         | BOTTOM TO DRYWALL STOP | VIEWING AREA |
|--------------|--------------------|-----|---------|------------------------|--------------|
|              | A                  | B   | C       | D                      | E            |
| SML-48XXX-XX | 54 1/8"            | 47" | 20 1/2" | 6 3/4"                 | 50 1/4"      |
| SML-60XXX-XX | 66 1/8"            | 47" | 20 1/2" | 6 3/4"                 | 62 1/4"      |
| SML-72XXX-XX | 78 1/8"            | 47" | 20 1/2" | 6 3/4"                 | 74 1/4"      |



## CORNER

| MODEL        | FRAMING DIMENSIONS |     |         | BOTTOM TO DRYWALL STOP | VIEWING AREA |
|--------------|--------------------|-----|---------|------------------------|--------------|
|              | A                  | B   | C       | D                      | E            |
| SML-48XXX-XX | 54 1/8"            | 47" | 20 1/2" | 6 3/4"                 | 50 1/4"      |
| SML-60XXX-XX | 66 1/8"            | 47" | 20 1/2" | 6 3/4"                 | 62 1/4"      |
| SML-72XXX-XX | 78 1/8"            | 47" | 20 1/2" | 6 3/4"                 | 74 1/4"      |

