



PRICE LIST – USA

MADE IN CANADA



WWW.OSBURN-MFG.COM

STOVE BUILDER INTERNATIONAL INC. (SBI)
250, DE COPENHAGUE
ST-AUGUSTIN-DE-DESMARES
(QUEBEC) CANADA G3A 2H3

CUSTOMER SERVICE
PHONE: 1-844-344-3071
FAX: 1-888-355-5067
E-MAIL: SAC@SBI-INTERNATIONAL.COM

2026

Valid from March 1st 2026
Printed on July 2nd 2026



GENERAL POLICIES

**PURCHASE ORDERS MUST BE SENT BY FAX: 1-888-676-4413,
or EMAIL: orders@sbi-international.com**

YOU NEED INFORMATION ABOUT YOUR ORDER?

Contact our customer service team at **1-844-344-3071** and follow the instructions.
By email at sac@sbi-international.com

YOU NEED TECHNICAL ADVICE?

Contact our technical support team at **1-877-356-6663** and follow the instructions.
By email at tech@sbi-international.com

Valid from March 1st 2020

ORDER CANCELLATION

An amount of 8% will be charged for the cancellation of any order. The amount charged increases to 15% when the order is cancelled within two (2) weeks of the expected shipment date.

Orders for which shipment is postponed for more than four (4) weeks from the original delivery date will be treated as cancellations. SBI reserves the right to withhold certain annual rebates payable at year-end if a customer refuses to pay any amount owing to SBI under the order cancellation policy.

CHANGES TO THE PRICE LIST

SBI reserves the right, without notice, to make changes to the price lists during the year (addition, withdrawal, price change, etc.). It is the customer's responsibility to always download the most up-to-date price list from the customer portal.

FUEL SURCHARGE

A freight surcharge may apply in the event of a crisis affecting the transport industry. The surcharge will apply to customers who are using SBI's prepaid, and prepaid and charge freight plans. The surcharge is applicable only if the T/L surcharge published by the Freight Carriers Association remains above 75% for a period of more than two weeks. If this occurs, the surcharge applied by SBI will be in force for a minimum of two weeks. If the rise in freight costs is not entirely attributable to a spike in fuel cost (e.g.: it could be caused by labour strikes, labour shortages, container shortages, etc.), then SBI may apply a surcharge per appliance at its discretion.

NORTH AMERICAN PREPAID & CHARGE FREIGHT POLICIES FOR PARTS AND ACCESSORIES

All part and accessories are shipped collect on the customer's courier account (UPS, Fedex, Puro, etc.). If the customer does not have a courier account, parts can be shipped "prepaid & charge". For customers ordering at least one stove, parts, and accessories with a total weight of less than 200 lb will ship free of charge under the customer's appliance freight program.

www.osburn-mfg.com

Table of contents

WOOD STOVES (EPA 2020) - SMALL	4
950 N WOOD STOVE - OB00951	4
950 WOOD STOVE - OB00950	5
WOOD STOVES (EPA 2020) - MEDIUM	6
1700 WOOD STOVE - OB01700	6
WOOD STOVES (EPA 2020) - LARGE	8
2000 WOOD STOVE WITH BLOWER - OB02015	8
INSPIRE 2000 WOOD STOVE - OB02042	10
MATRIX WOOD STOVE WITH BLOWER - OB02032	11
WOOD STOVES (EPA 2020) - EXTRA LARGE	12
3500 WOOD STOVE WITH BLOWER - OB03500	12
WOOD INSERTS (EPA 2020) - SMALL	13
MATRIX 1900 WOOD INSERT - OB01900	13
WOOD INSERTS (EPA 2020) - MEDIUM	14
1700 WOOD INSERT - OB01705	14
WOOD INSERTS (EPA 2020) - LARGE	15
2000 WOOD INSERT - OB02016	15
INSPIRE 2000-I WOOD INSERT - OB02045	16
MATRIX 2700 WOOD INSERT - OB02700	17
MATRIX WOOD INSERT - OB02028	18
WOOD INSERTS (EPA 2020) - EXTRA LARGE	19
3500 WOOD INSERT - OB03510	19
WOOD FIREPLACES (EPA 2020) - LARGE	20
EVEREST III WOOD FIREPLACE - OB04017	20
STRATFORD II WOOD FIREPLACE - OB04007	21
WOOD FIREPLACES (EPA 2020) - EXTRA LARGE	22
HORIZON WOOD FIREPLACE - OB04010	22
WOOD WOOD BURNING COOK STOVE (EPA 2020) - LARGE	23
GUSTO WOOD BURNING COOKSTOVE - OB02047	23
PELLET STOVES (EPA 2020) - MEDIUM	24
2500 PELLET STOVE - OP00025	24
FIREPLACE TOOL SETS	25

950 N WOOD STOVE



Manufacturer code

OB00951

New

MSRP

\$2199.00

UPC code 773388195100

EPA
2020

OPTIONS

MSRP

AC01349	• 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$285.00
AC01420	• RIGID FIRESCREEN	\$175.00
AC01422	• 5"Ø FRESH AIR INTAKE KIT FOR WOOD STOVE	\$165.00
AC02023	• BLOWER WITH THERMODISC	\$300.00
AC02090	• 5"Ø X 4' INSULATED FLEX PIPE FOR FRESH AIR INTAKE	\$50.00
AC02703	• TEMPERED GLASS HEARTH PAD 10 mm - 54" X 46 3/4"	\$869.00
AC02711	• MODULAR FLOOR PROTECTION SYSTEM 54" X 46 3/4"	\$545.00
AC02758	• TINTED TEMPERED GLASS HEARTH PAD 10 mm - 54" X 46 3/4"	\$439.00
AC02790	• BLACK STEEL HEARTH PAD 60" - CORNER	\$575.00

FEATURES

• Approved for an alcove installation	: Yes
• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 28 3/4" X 20 1/4" X 28"
• Average particulate emissions rate	: 1.7 g/h
• Maximum log length	: 17"
• Approved for a mobile home installation	: Yes
• Shipping Weight	: 316 lb (143 kg)
• Recommended heating area-ft ²	: 250 - 1,200
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 5 h
• Blower included	: No
• Overall firebox volume-ft ³	: 1.85

950 WOOD STOVE



Manufacturer code

OB00950

MSRP

\$2199.00

UPC code 773388203577

EPA
2020

OPTIONS

MSRP

AC01349	• 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$285.00
AC01420	• RIGID FIRESCREEN	\$175.00
AC01421	• 5"Ø FRESH AIR INTAKE KIT FOR WOOD STOVE	\$165.00
AC02023	• BLOWER WITH THERMODISC	\$300.00
AC02090	• 5"Ø X 4' INSULATED FLEX PIPE FOR FRESH AIR INTAKE	\$50.00
AC02703	• TEMPERED GLASS HEARTH PAD 10 mm - 54" X 46 3/4"	\$869.00
AC02711	• MODULAR FLOOR PROTECTION SYSTEM 54" X 46 3/4"	\$545.00
AC02758	• TINTED TEMPERED GLASS HEARTH PAD 10 mm - 54" X 46 3/4"	\$439.00
AC02790	• BLACK STEEL HEARTH PAD 60" - CORNER	\$575.00

FEATURES

• Approved for an alcove installation	: Yes
• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 28 7/8" X 20 1/4" X 27 7/8"
• Average particulate emissions rate	: 1.8 g/h
• Maximum log length	: 17"
• Approved for a mobile home installation	: Yes, with fresh air intake
• Shipping Weight	: 317 lb (144 kg)
• Recommended heating area-ft ²	: 250 - 1,200
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 5 h
• Blower included	: No
• Overall firebox volume-ft ³	: 1.8

1700 WOOD STOVE



Manufacturer code

OB01700

MSRP

\$2309.00

UPC code 773388177861

EPA
2020

Requires the addition of accessories (A) and (B) to complete the unit

REQUIRED ACCESSORIES

MSRP

A

OA10249	• BLACK DOOR OVERLAY	\$110.00
OA10250	• BRUSHED NICKEL DOOR OVERLAY	\$275.00

B

OA10244	• PEDESTAL WITH ASH DRAWER	\$385.00
OA10245	• BLACK CAST IRON STRAIGHT LEGS WITH ASH DRAWER	\$550.00
OA10246	• BRUSHED NICKEL CAST IRON STRAIGHT LEGS WITH ASH DRAWER	\$825.00
OA10247	• BLACK CAST IRON TRADITIONAL LEGS WITH ASH DRAWER	\$330.00
OA10248	• BRUSHED NICKEL CAST IRON TRADITIONAL LEGS WITH ASH DRAWER	\$770.00

OPTIONS

MSRP

AC01000	• 130 CFM BLOWER WITH VARIABLE SPEED CONTROL (THERMODISC INCLUDED)	\$399.00
AC01291	• 5"Ø FRESH AIR INTAKE KIT FOR WOOD STOVE ON LEGS	\$220.00
AC01299	• RIGID FIRESCREEN	\$200.00
AC01336	• 5"Ø FRESH AIR INTAKE KIT FOR WOOD STOVE ON PEDESTAL	\$120.00
AC01349	• 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$285.00
AC02090	• 5"Ø X 4' INSULATED FLEX PIPE FOR FRESH AIR INTAKE	\$50.00
AC02703	• TEMPERED GLASS HEARTH PAD 10 mm - 54" X 46 3/4"	\$869.00
AC02711	• MODULAR FLOOR PROTECTION SYSTEM 54" X 46 3/4"	\$545.00
AC02758	• TINTED TEMPERED GLASS HEARTH PAD 10 mm - 54" X 46 3/4"	\$439.00
AC02788	• BLACK STEEL HEARTH PAD 46 3/4" X 54"	\$420.00
OA10132	• GLASS ASH LIP	\$165.00

FEATURES

• Approved for an alcove installation	: Yes
• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 30 3/8" X 24 7/8" X 23 1/4"
• Average particulate emissions rate	: 2.4 g/h
• Maximum log length	: 18"
• Approved for a mobile home installation	: Yes
• Shipping Weight	: 336 lb (153 kg)
• Recommended heating area-ft ²	: 500 - 1,800
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 7 h
• Blower included	: No

• Overall firebox volume-ft³

: 1.86

2000 WOOD STOVE WITH BLOWER



Manufacturer code
OB02015

MSRP
\$2859.00

UPC code 773388164168

EPA
2020

Requires the addition of accessories (A) and (B) to complete the unit

REQUIRED ACCESSORIES

MSRP

A

OA10237	• BLACK DOOR OVERLAY	\$110.00
OA10238	• BRUSHED NICKEL DOOR OVERLAY	\$330.00

B

OA10226	• BLACK CAST IRON TRADITIONAL LEGS WITH ASH DRAWER	\$330.00
OA10228	• BRUSHED NICKEL CAST IRON TRADITIONAL LEGS WITH ASH DRAWER	\$765.00
OA10235	• BLACK CAST IRON STRAIGHT LEGS WITH ASH DRAWER	\$550.00
OA10236	• BRUSHED NICKEL CAST IRON STRAIGHT LEGS WITH ASH DRAWER	\$825.00
OA10239	• PEDESTAL WITH ASH DRAWER	\$440.00

OPTIONS

MSRP

AC01211	• 5"Ø FRESH AIR INTAKE KIT FOR WOOD STOVE ON LEGS	\$220.00
AC01315	• RIGID FIRESCREEN	\$200.00
AC01336	• 5"Ø FRESH AIR INTAKE KIT FOR WOOD STOVE ON PEDESTAL	\$120.00
AC01349	• 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$285.00
AC02055	• QUICK CONNECT THERMODISC	\$80.00
AC02090	• 5"Ø X 4' INSULATED FLEX PIPE FOR FRESH AIR INTAKE	\$50.00
AC02703	• TEMPERED GLASS HEARTH PAD 10 mm - 54" X 46 3/4"	\$869.00
AC02711	• MODULAR FLOOR PROTECTION SYSTEM 54" X 46 3/4"	\$545.00
AC02758	• TINTED TEMPERED GLASS HEARTH PAD 10 mm - 54" X 46 3/4"	\$439.00
AC02788	• BLACK STEEL HEARTH PAD 46 3/4" X 54"	\$420.00
OA10132	• GLASS ASH LIP	\$165.00

FEATURES

• Approved for an alcove installation	: Yes
• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 33 1/8" X 27" X 29"
• Average particulate emissions rate	: 2.3 g/h
• Maximum log length	: 20"
• Approved for a mobile home installation	: Yes
• Shipping Weight	: 390 lb (177 kg)
• Recommended heating area-ft ²	: 500 - 2,100
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 8h
• Blower included	: Yes

- Overall firebox volume-ft³ : 2.4

WOOD STOVES (EPA 2020) - LARGE

INSPIRE 2000 WOOD STOVE



Manufacturer code
OB02042

MSRP
\$3449.00

UPC code 773388165943

Note: Option AC02354 requires the purchase of required Accessory (B)
OA10243 — Minimalist base.

**EPA
2020**

Requires the addition of accessories (A) and (B) to complete the unit

REQUIRED ACCESSORIES

MSRP

A		
OA10242	• BLACK DECORATIVE SIDE PANEL	\$220.00
B		
OA10240	• BLACK STEEL BASE	\$720.00
OA10241	• SOAPSTONE BASE	\$1265.00
OA10243	• MINIMALIST BASE	\$380.00

OPTIONS

MSRP

AC01236	• MOULDED REFRACTORY PANELS	\$770.00
AC01349	• 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$285.00
AC02055	• QUICK CONNECT THERMODISC	\$80.00
AC02090	• 5"Ø X 4' INSULATED FLEX PIPE FOR FRESH AIR INTAKE	\$50.00
AC02354	• MODERN STOVE BENCH	\$849.00
AC02703	• TEMPERED GLASS HEARTH PAD 10 mm - 54" X 46 3/4"	\$869.00
AC02758	• TINTED TEMPERED GLASS HEARTH PAD 10 mm - 54" X 46 3/4"	\$439.00
AC02775	• SEMI-TRANSPARENT BLACK GLASS WITH NIGHTFLAME EFFECT	\$529.00
AC02788	• BLACK STEEL HEARTH PAD 46 3/4" X 54"	\$420.00
AC02790	• BLACK STEEL HEARTH PAD 60" - CORNER	\$575.00
AC03095	• BLOWER WITH VARIABLE SPEED CONTROL (UP TO 130 CFM)	\$340.00

FEATURES

• Approved for an alcove installation	: Yes
• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 35 5/8" X 27 7/8" X 24 1/4"
• Average particulate emissions rate	: 2.3 g/h
• Maximum log length	: 20"
• Approved for a mobile home installation	: Yes
• Shipping Weight	: 439 lb (199 kg)
• Recommended heating area-ft ²	: 500 - 2,100
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 8 h
• Blower included	: No
• Overall firebox volume-ft ³	: 2.4

Effective March 1st 2026

WOOD STOVES (EPA 2020) - LARGE

MATRIX WOOD STOVE WITH BLOWER



Manufacturer code
OB02032

MSRP
\$3949.00

UPC code 773388173856



Requires the addition of accessories (A) and (B) to complete the unit

REQUIRED ACCESSORIES

MSRP

A

OA10700	• BLACK SIDE PANELS KIT	\$390.00
OA10701	• SOAPSTONE SIDE PANELS KIT	\$990.00

B

OA10703	• SOAPSTONE PANEL TOP (2 UNITS)	\$440.00
OA10704	• BLACK STEEL PANEL TOP	\$160.00

OPTIONS

MSRP

AC01297	• 5"Ø AIR INTAKE TERMINATION WITH CLAMPS	\$66.00
AC01315	• RIGID FIRESCREEN	\$200.00
AC01349	• 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$285.00
AC02090	• 5"Ø X 4' INSULATED FLEX PIPE FOR FRESH AIR INTAKE	\$50.00
AC02703	• TEMPERED GLASS HEARTH PAD 10 mm - 54" X 46 3/4"	\$869.00
AC02711	• MODULAR FLOOR PROTECTION SYSTEM 54" X 46 3/4"	\$545.00
AC02758	• TINTED TEMPERED GLASS HEARTH PAD 10 mm - 54" X 46 3/4"	\$439.00
AC02787	• MODULAR HEARTH PAD SYSTEM 60" - CORNER	\$775.00

FEATURES

• Approved for an alcove installation	: Yes
• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 36 7/8" X 27 1/8" X 25"
• Average particulate emissions rate	: 2.3 g/h
• Maximum log length	: 20"
• Approved for a mobile home installation	: Yes
• Shipping Weight	: 506 lb (230 kg)
• Recommended heating area-ft ²	: 500 - 2,100
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 8 h
• Blower included	: Yes
• Overall firebox volume-ft ³	: 2.4

Effective March 1st 2026

WOOD STOVES (EPA 2020) - EXTRA LARGE

3500 WOOD STOVE WITH BLOWER



Manufacturer code
OB03500

MSRP
\$3839.00

UPC code 773388186443



Requires the addition of accessories (A) to complete the unit

REQUIRED ACCESSORIES

MSRP

A		
OA10163	• BLACK DOOR OVERLAY	\$110.00
OA10164	• BRUSHED NICKEL DOOR OVERLAY	\$330.00

OPTIONS

MSRP

AC01281	• RIGID FIRESCREEN	\$200.00
AC01336	• 5"Ø FRESH AIR INTAKE KIT FOR WOOD STOVE ON PEDESTAL	\$120.00
AC01349	• 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$285.00
AC02090	• 5"Ø X 4' INSULATED FLEX PIPE FOR FRESH AIR INTAKE	\$50.00
OA10166	• GLASS ASH LIP	\$220.00

FEATURES

• Approved for an alcove installation	: Yes
• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 34 3/4" X 28 7/8" X 33 1/2"
• Average particulate emissions rate	: 1.6 g/h
• Maximum log length	: 22"
• Approved for a mobile home installation	: Yes
• Shipping Weight	: 549 lb (249 kg)
• Recommended heating area-ft ²	: 1,000 - 2,700
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 10 h
• Blower included	: Yes
• Overall firebox volume-ft ³	: 3.5

MATRIX 1900 WOOD INSERT



Manufacturer code

OB01900

MSRP

\$3239.00

UPC code 773388223582

EPA
2020

Requires the addition of accessories (A) to complete the unit

REQUIRED ACCESSORIES

MSRP

A

OA10041	• BLACK DOOR OVERLAY	\$110.00
OA10042	• BRUSHED NICKEL DOOR OVERLAY	\$275.00

OPTIONS

MSRP

AC01213	• RIGID FIRESCREEN	\$210.00
AC01214	• OFFSET LINER ADAPTER	\$295.00
AC01298	• 5"Ø FRESH AIR INTAKE KIT	\$100.00
AC01349	• 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$285.00
AC02006	• LINER HOOK UP SYSTEM	\$120.00
AC02082	• 32" X 44" CUTTABLE FACEPLATE (18 GA)	\$220.00
AC02090	• 5"Ø X 4' INSULATED FLEX PIPE FOR FRESH AIR INTAKE	\$50.00
AC02760	• TEMPERED GLASS HEARTH PAD 10 mm - 18" X 50"	\$399.00

FEATURES

• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 23 7/8" X 36" X 21"
• Average particulate emissions rate	: 1.5 g/h
• Maximum log length	: 17"
• Fireplace opening - minimum (Height X Width X Depth)	: 19" X 25" X 15 1/2"
• Shipping Weight	: 332 lb (151 kg)
• Moulded refractory bricks	
• Recommended heating area-ft ²	: 250 - 1,200
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 7 h
• Blower included	: Yes
• Overall firebox volume-ft ³	: 1.1

1700 WOOD INSERT



Manufacturer code

OB01705

MSRP

\$2789.00

UPC code 773388186412

EPA
2020

Requires the addition of accessories (A), (B) and (C) to complete the unit

REQUIRED ACCESSORIES

MSRP

A

OA10249	• BLACK DOOR OVERLAY	\$110.00
OA10250	• BRUSHED NICKEL DOOR OVERLAY	\$275.00

B

OA10116	• REGULAR FACEPLATE (29" X 44")	\$160.00
OA10117	• LARGE FACEPLATE (32" X 50")	\$220.00

C

OA10122	• BLACK FACEPLATE TRIMS (29" X 44")	\$130.00
OA10123	• BRUSHED NICKEL FACEPLATE TRIMS (29" X 44")	\$130.00
OA10128	• BLACK LARGE FACEPLATE TRIMS (32" X 50")	\$130.00
OA10129	• BRUSHED NICKEL LARGE FACEPLATE TRIMS (32" X 50")	\$130.00

OPTIONS

MSRP

AC01214	• OFFSET LINER ADAPTER	\$295.00
AC01298	• 5"Ø FRESH AIR INTAKE KIT	\$100.00
AC01299	• RIGID FIRESCREEN	\$200.00
AC01349	• 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$285.00
AC02006	• LINER HOOK UP SYSTEM	\$120.00
AC02090	• 5"Ø X 4' INSULATED FLEX PIPE FOR FRESH AIR INTAKE	\$50.00
AC02760	• TEMPERED GLASS HEARTH PAD 10 mm - 18" X 50"	\$399.00

FEATURES

• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 21 1/4" X 27 1/8" X 22 3/8"
• Average particulate emissions rate	: 2.4 g/h
• Maximum log length	: 18"
• Fireplace opening - minimum (Height X Width X Depth)	: 21 1/2" X 27 1/2" X 12 7/8"
• Shipping Weight	: 361 lb (164 kg)
• Recommended heating area-ft²	: 500 - 1,800
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 7 h
• Blower included	: Yes
• Overall firebox volume-ft³	: 1.86

2000 WOOD INSERT



Manufacturer code

OB02016

MSRP

\$3129.00

UPC code ob02045

If your installation requires the use of the optional AC01357 cuttable faceplate, only accessory A is required.

Requires the addition of accessories (A), (B) and (C) to complete the unit

REQUIRED ACCESSORIES

MSRP

A

OA10237	• BLACK DOOR OVERLAY	\$110.00
OA10238	• BRUSHED NICKEL DOOR OVERLAY	\$330.00

B

AC03410	• REGULAR FACEPLATE (29" X 44")	\$170.00
AC03411	• LARGE FACEPLATE (32" X 50")	\$220.00

C

OA10122	• BLACK FACEPLATE TRIMS (29" X 44")	\$130.00
OA10123	• BRUSHED NICKEL FACEPLATE TRIMS (29" X 44")	\$130.00
OA10128	• BLACK LARGE FACEPLATE TRIMS (32" X 50")	\$130.00
OA10129	• BRUSHED NICKEL LARGE FACEPLATE TRIMS (32" X 50")	\$130.00

OPTIONS

MSRP

AC01214	• OFFSET LINER ADAPTER	\$295.00
AC01298	• 5"Ø FRESH AIR INTAKE KIT	\$100.00
AC01315	• RIGID FIRESCREEN	\$200.00
AC01317	• 7 3/16" X 26" HEAT SHIELD FOR SURROUND/SHELF	\$120.00
AC01349	• 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$285.00
AC01357	• 32" X 50" CUTTABLE FACEPLATE (18 GA)	\$220.00
AC02006	• LINER HOOK UP SYSTEM	\$120.00
AC02090	• 5"Ø X 4' INSULATED FLEX PIPE FOR FRESH AIR INTAKE	\$50.00
AC02760	• TEMPERED GLASS HEARTH PAD 10 mm - 18" X 50"	\$399.00

FEATURES

• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 23 1/8" X 28 3/8" X 26 3/8"
• Average particulate emissions rate	: 2.3 g/h
• Maximum log length	: 20"
• Fireplace opening - minimum (Height X Width X Depth)	: 23 3/8" X 28 7/8" X 15 3/4"
• Shipping Weight	: 434 lb (197 kg)
• Recommended heating area-ft ²	: 500 - 2,100
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 8 h
• Blower included	: Yes
• Overall firebox volume-ft ³	: 2.4

INSPIRE 2000-I WOOD INSERT



Manufacturer code

OB02045

MSRP

\$3574.00

UPC code 773388169507

EPA
2020

Requires the addition of accessories (A) to complete the unit

REQUIRED ACCESSORIES

MSRP

A		
AC01020	• 30" X 25 1/8" NARROW FACEPLATE (U SHAPE)	\$275.00
AC01021	• 32" X 50" CUTTABLE FACEPLATE (16 GA)	\$275.00
AC01022	• 30" X 26 7/8" NARROW FACEPLATE (4 SIDED)	\$330.00

OPTIONS

MSRP

AC01214	• OFFSET LINER ADAPTER	\$295.00
AC01298	• 5"Ø FRESH AIR INTAKE KIT	\$100.00
AC01349	• 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$285.00
AC02006	• LINER HOOK UP SYSTEM	\$120.00
AC02090	• 5"Ø X 4' INSULATED FLEX PIPE FOR FRESH AIR INTAKE	\$50.00
AC02760	• TEMPERED GLASS HEARTH PAD 10 mm - 18" X 50"	\$399.00
AC02775	• SEMI-TRANSPARENT BLACK GLASS WITH NIGHTFLAME EFFECT	\$529.00

FEATURES

• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 24 3/8" X 28 1/2" X 20 7/8"
• Average particulate emissions rate	: 2.3 g/h
• Maximum log length	: 20"
• Fireplace opening - minimum (Height X Width X Depth)	: 24 5/8" X 29" X 20 3/4"
• Shipping Weight	: 435 lb (197 kg)
• Recommended heating area-ft ²	: 500 - 2,100
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 8 h
• Blower included	: Yes
• Overall firebox volume-ft ³	: 2.4

MATRIX 2700 WOOD INSERT



Manufacturer code

OB02700

MSRP

\$4619.00

UPC code 773388186436

EPA
2020

Requires the addition of accessories (A) to complete the unit

REQUIRED ACCESSORIES

MSRP

A

OA10253	• BLACK DOOR OVERLAY	\$110.00
OA10254	• BRUSHED NICKEL DOOR OVERLAY	\$385.00

OPTIONS

MSRP

AC01214	• OFFSET LINER ADAPTER	\$295.00
AC01263	• 2" OR 4" PROJECTION KIT FOR INSERT	\$165.00
AC01275	• FIRESCREEN DOOR	\$330.00
AC01277	• 34" X 50" CUTTABLE FACEPLATE (18 GA)	\$275.00
AC01298	• 5"Ø FRESH AIR INTAKE KIT	\$100.00
AC02006	• LINER HOOK UP SYSTEM	\$120.00
AC02090	• 5"Ø X 4' INSULATED FLEX PIPE FOR FRESH AIR INTAKE	\$50.00
AC02760	• TEMPERED GLASS HEARTH PAD 10 mm - 18" X 50"	\$399.00

FEATURES

• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 30 1/8" X 43 5/8" X 27 1/4"
• Average particulate emissions rate	: 1.2 g/h
• Maximum log length	: 20"
• Fireplace opening - minimum (Height X Width X Depth)	: 27 1/8" X 31 3/4" X 22 1/8"
• Shipping Weight	: 535 lb (243kg)
• Moulded refractory bricks	
• Recommended heating area-ft ²	: 750 - 2,200
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 8 h
• Blower included	: Yes
• Overall firebox volume-ft ³	: 2.5

WOOD INSERTS (EPA 2020) - LARGE

MATRIX WOOD INSERT



Manufacturer code
OB02028

MSRP
\$3949.00

UPC code 773388164199



OPTIONS

MSRP

AC01214	• OFFSET LINER ADAPTER	\$295.00
AC01298	• 5"Ø FRESH AIR INTAKE KIT	\$100.00
AC01315	• RIGID FIRESCREEN	\$200.00
AC01321	• BOTTOM FACEPLATE BACKING PLATE 44" X 6"	\$90.00
AC01322	• 29" X 44" FACEPLATE BACKING PLATE KIT	\$220.00
AC01323	• 2" OR 4" PROJECTION KIT FOR INSERT	\$130.00
AC01332	• 29" X 50" FACEPLATE BACKING PLATE KIT	\$275.00
AC01333	• BOTTOM FACEPLATE BACKING PLATE 50" X 6"	\$100.00
AC01349	• 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$285.00
AC02006	• LINER HOOK UP SYSTEM	\$120.00
AC02090	• 5"Ø X 4' INSULATED FLEX PIPE FOR FRESH AIR INTAKE	\$50.00
AC02760	• TEMPERED GLASS HEARTH PAD 10 mm - 18" X 50"	\$399.00

FEATURES

• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 25 1/8" X 36 1/8" X 23 1/8"
• Average particulate emissions rate	: 2.3 g/h
• Maximum log length	: 20"
• Fireplace opening - minimum (Height X Width X Depth)	: 23 3/8" X 28 7/8" X 19 5/8"
• Shipping Weight	: 491 lb (223 kg)
• Recommended heating area-ft ²	: 500 - 2,100
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 8 h
• Blower included	: Yes
• Overall firebox volume-ft ³	: 2.4

WOOD INSERTS (EPA 2020) - EXTRA LARGE

3500 WOOD INSERT



Manufacturer code
OB03510

MSRP
\$3819.00

UPC code 773388210124

If your installation requires the use of the optional AC01357 cuttable faceplate, only accessory A is required.



Requires the addition of accessories (A), (B) and (C) to complete the unit

REQUIRED ACCESSORIES

MSRP

A		
OA10163	• BLACK DOOR OVERLAY	\$110.00
OA10164	• BRUSHED NICKEL DOOR OVERLAY	\$330.00
B		
OA10032	• MEDIUM FACEPLATE (32" X 44")	\$220.00
OA10033	• LARGE FACEPLATE (32" X 50")	\$220.00
C		
OA10125	• BLACK FACEPLATE TRIMS (32" X 44")	\$130.00
OA10126	• BRUSHED NICKEL FACEPLATE TRIMS (32" X 44")	\$130.00
OA10128	• BLACK LARGE FACEPLATE TRIMS (32" X 50")	\$130.00
OA10129	• BRUSHED NICKEL LARGE FACEPLATE TRIMS (32" X 50")	\$130.00

OPTIONS

MSRP

AC01214	• OFFSET LINER ADAPTER	\$295.00
AC01281	• RIGID FIRESCREEN	\$200.00
AC01298	• 5"Ø FRESH AIR INTAKE KIT	\$100.00
AC02006	• LINER HOOK UP SYSTEM	\$120.00
AC02090	• 5"Ø X 4' INSULATED FLEX PIPE FOR FRESH AIR INTAKE	\$50.00
AC02760	• TEMPERED GLASS HEARTH PAD 10 mm - 18" X 50"	\$399.00

FEATURES

• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 24 7/8" X 30 3/8" X 29"
• Average particulate emissions rate	: 1.6 g/h
• Maximum log length	: 22"
• Fireplace opening - minimum (Height X Width X Depth)	: 26 1/4" X 31" X 18 3/8"
• Shipping Weight	: 540 lb (245 kg)
• Recommended heating area-ft ²	: 1,000 - 2,700
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 10 h
• Blower included	: Yes
• Overall firebox volume-ft ³	: 3.5

Effective March 1st 2026

WOOD FIREPLACES (EPA 2020) - LARGE

EVEREST III WOOD FIREPLACE



Manufacturer code
OB04017

MSRP
\$5399.00

UPC code 773388996615



Requires the addition of accessories (A) and (B) to complete the unit

REQUIRED ACCESSORIES

MSRP

A		
OA10620	• BLACK DOOR OVERLAY	\$165.00
OA10622	• BRUSHED NICKEL DOOR OVERLAY	\$440.00
B		
OA10621	• MODERN FACEPLATE	\$770.00
OA10623	• TRADITIONAL FACEPLATE	\$715.00

OPTIONS

MSRP

AC01226	• FIRESCREEN DOOR	\$189.00
AC01347	• 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$280.00
AC01350	• 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR KIT	\$225.00
AC01375	• TRADITIONAL GRAVITY KIT	\$440.00
AC02091	• 4"Ø X 10' INSULATED FLEX PIPE FOR FRESH AIR INTAKE	\$75.00
AC02776	• SEMI-TRANSPARENT BLACK GLASS WITH NIGHTFLAME EFFECT (SET OF 2)	\$529.00
AC09200	• FIREPLACE CARRYING HANDLES	\$100.00
VA4460	• FORCED AIR KIT	\$760.00

FEATURES

• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 49 1/8" X 41 7/8" X 29"
• Average particulate emissions rate	: 1.9 g/h
• Maximum log length	: 20"
• Shipping Weight	: 555 lb (252 kg)
• Moulded refractory bricks	
• Recommended heating area-ft ²	: 750 - 2,500
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 8 h
• Blower included	: Yes
• Overall firebox volume-ft ³	: 3.04

Effective March 1st 2026

WOOD FIREPLACES (EPA 2020) - LARGE

STRATFORD II WOOD FIREPLACE



Manufacturer code
OB04007

MSRP
\$4499.00

UPC code 773388188362



Requires the addition of accessories (A) and (B) to complete the unit

REQUIRED ACCESSORIES

MSRP

A		
OA10610	• BLACK DOOR OVERLAY	\$165.00
OA10612	• BRUSHED NICKEL DOOR OVERLAY	\$440.00
B		
OA10255	• TRADITIONAL FACEPLATE	\$715.00
OA10256	• MODERN FACEPLATE	\$770.00

OPTIONS

MSRP

AC01223	• HEAT SHIELD FOR SURROUND/SHELF	\$130.00
AC01275	• FIRESCREEN DOOR	\$330.00
AC01347	• 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$280.00
AC01350	• 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR KIT	\$225.00
AC01359	• 4"Ø X 25' INSULATED FLEX PIPE FOR FRESH AIR	\$200.00
AC01374	• FORCED AIR KIT	\$960.00
AC01375	• TRADITIONAL GRAVITY KIT	\$440.00
AC01389	• MODERN GRAVITY KIT WITH ADJUSTABLE PIPES	\$660.00
AC02091	• 4"Ø X 10' INSULATED FLEX PIPE FOR FRESH AIR INTAKE	\$75.00
AC02760	• TEMPERED GLASS HEARTH PAD 10 mm - 18" X 50"	\$399.00
AC09200	• FIREPLACE CARRYING HANDLES	\$100.00

FEATURES

• Cast iron andirons	
• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 40 5/8" X 36 3/4" X 29 3/4"
• Average particulate emissions rate	: 1.2 g/h
• Maximum log length	: 20"
• Shipping Weight	: 468 lb (212 kg)
• Moulded refractory bricks	
• Recommended heating area-ft ²	: 750 - 2,200
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 8 h
• Blower included	: Yes
• Overall firebox volume-ft ³	: 2.5

Effective March 1st 2026

WOOD FIREPLACES (EPA 2020) - EXTRA LARGE

HORIZON WOOD FIREPLACE



Manufacturer code
OB04010

MSRP
\$5824.00

UPC code 773388128894



Requires the addition of accessories (A) and (B) to complete the unit

REQUIRED ACCESSORIES

MSRP

A		
OA10631	• PRAIRIE STYLE FACEPLATE	\$825.00
B		
AC02360	• CLASSIC MOULDED BRICK PANELS	\$650.00

OPTIONS

MSRP

AC01297	• 5"Ø AIR INTAKE TERMINATION WITH CLAMPS	\$66.00
AC01349	• 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$285.00
AC01350	• 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR KIT	\$225.00
AC01378	• WARM AIR CIRCULATION GRILLE - MODERN	\$385.00
AC02093	• 5"Ø X 10' INSULATED FLEX PIPE FOR FRESH AIR INTAKE	\$75.00
AC02094	• 5"Ø X 25' INSULATED FLEX PIPE	\$165.00
AC02760	• TEMPERED GLASS HEARTH PAD 10 mm - 18" X 50"	\$399.00
AC02770	• SEMI-TRANSPARENT BLACK GLASS WITH NIGHTFLAME EFFECT (SET OF 2)	\$749.00
AC09200	• FIREPLACE CARRYING HANDLES	\$100.00
VA4460	• FORCED AIR KIT	\$760.00

FEATURES

• Chimney diameter	: 8"
• Height X Width X Depth - Overall	: 43 3/8" X 50 3/4" X 31 3/4"
• Average particulate emissions rate	: 1.6 g/h
• Maximum log length	: 25"
• Shipping Weight	: 560 lb (254 kg)
• Recommended heating area-ft ²	: 1,000 - 2,800
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 11 h
• Overall firebox volume-ft ³	: 4.28
• Blower included	: Yes
• Moulded refractory bricks	
• Cast iron andirons	: No

Effective March 1st 2026

WOOD WOOD BURNING COOK STOVE (EPA 2020) -
LARGE

GUSTO WOOD BURNING COOKSTOVE



Manufacturer code
OB02047

MSRP
\$5829.00

UPC code 773388265780



Requires the addition of accessories (A) to complete the unit

REQUIRED ACCESSORIES

MSRP

A		
OA10268	• BLACK DECORATIVE MOLDING	\$220.00
OA10269	• BRUSHED NICKEL DECORATIVE MOLDING	\$385.00

OPTIONS

MSRP

AC01000	• 130 CFM BLOWER WITH VARIABLE SPEED CONTROL (THERMODISC INCLUDED)	\$399.00
AC01211	• 5"Ø FRESH AIR INTAKE KIT FOR WOOD STOVE ON LEGS	\$220.00
AC01212	• 8 1/2" X 8 1/2" STEATITE COOKING PLATES (2 UNITS)	\$130.00
AC01349	• 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$285.00
AC02090	• 5"Ø X 4' INSULATED FLEX PIPE FOR FRESH AIR INTAKE	\$50.00
AC02703	• TEMPERED GLASS HEARTH PAD 10 mm - 54" X 46 3/4"	\$869.00
AC02711	• MODULAR FLOOR PROTECTION SYSTEM 54" X 46 3/4"	\$545.00
AC02758	• TINTED TEMPERED GLASS HEARTH PAD 10 mm - 54" X 46 3/4"	\$439.00
AC02765	• 60" X 64 1/8" CERTIFIED MODULAR HEAT SHIELD SYSTEM	\$900.00
AC02785	• EXTENSION FOR AC02711 MODULAR FLOOR PROTECTION SYSTEM	\$200.00
AC02787	• MODULAR HEARTH PAD SYSTEM 60" - CORNER	\$775.00
AC09210	• ROUND 4L DUTCH OVEN (GRAY)	\$299.00
OA10132	• GLASS ASH LIP	\$165.00

FEATURES

• Approved for an alcove installation	: No
• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 41 7/8" X 29 3/8" X 29"
• Average particulate emissions rate	: 2.0 g/h
• Maximum log length	: 20"
• Approved for a mobile home installation	: Yes, with fresh air intake
• Shipping Weight	: 661 lb (300 kg)
• Recommended heating area-ft ²	: 500 - 2,100
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 8 h
• Blower included	: No
• Overall firebox volume-ft ³	: 2.261

Effective March 1st 2026

2500 PELLET STOVE



Manufacturer code

OP00025

MSRP

\$4599.00

UPC code 773388159355

EPA
2020

OPTIONS

MSRP

AC01240	• 3"Ø X 5' FRESH AIR INTAKE KIT	\$110.00
AC01393	• HOPPER EXTENSION	\$285.00
AC01460	• STORAGE TANK WITH PNEUMATIC SELF-FEEDING PELLET SYSTEM	\$3299.00
AC01462	• STORAGE TANK EXTENSION FOR AC01460	\$385.00
AC01463	• STAND ALONE AUXILIARY DISCHARGE TANK	\$715.00
AC01464	• LEG ASSEMBLY FOR AC01463 DISCHARGE TANK	\$165.00
AC01465	• 2"Ø X 25' ANTI-STATIC FLEX HOSE	\$455.00
AC02092	• 3"Ø X 10' INSULATED FLEX PIPE FOR FRESH AIR INTAKE	\$70.00
AC02704	• TEMPERED GLASS HEARTH PAD 10 mm - 44" X 36"	\$599.00
AC02709B	• BLACK STEEL HEARTH PAD 41 1/4" X 44"	\$285.00
AC02711	• MODULAR FLOOR PROTECTION SYSTEM 54" X 46 3/4"	\$545.00
AC02757	• TINTED TEMPERED GLASS HEARTH PAD 10 mm - 44" X 36"	\$349.00
AC02788	• BLACK STEEL HEARTH PAD 46 3/4" X 54"	\$420.00
AC02789	• BLACK STEEL HEARTH PAD 54" - CORNER	\$510.00
AC05558	• DIGITAL WALL THERMOSTAT	\$125.00

FEATURES

• Hopper capacity	: 60 lb (27kg)
• Height X Width X Depth - Overall	: 33" X 25 7/8" X 30"
• Average particulate emissions rate	: 0.96 g/h
• Approved for a mobile home installation	: Yes
• Shipping Weight	: 286 lb (130 kg)
• Maximum heat input rate	: 39,260 BTU/h (11.5 kW)
• Recommended heating area-ft ²	: 500 - 2,000
• Maximum burn time	: 51 h
• Combustion Technology	: Top-feed
• Approved for an alcove installation	: Yes
• Blower included	: Yes

SKU #	UPC Code per unit	Available individually	List price per unit	Masterpack quantity of	List price per master pack
-------	-------------------	------------------------	---------------------	------------------------	----------------------------

Fireplace tool sets

AC02350	773388127552	YES	\$170.00	N/A	\$170.00
---------	--------------	-----	----------	-----	----------

EQUISS FREESTANDING LOG HOLDER



This compact and robust log holder is entirely manufactured in Canada and made of high quality steel. Its integrated handles make handling easier. The assembly is done in seconds; simply intersect the two panels and voila! A cuttable rubber band is also available to provide protection for the floor surface and to give it a finishing touch. Once the heating season is over, this free standing log holder is easy to take apart and will not clutter your living space.

AC02351	773388169408	YES	\$769.00	N/A	\$769.00
---------	--------------	-----	----------	-----	----------

48" WOOD STORAGE WITH FINISHING TRIM



Built-in or freestanding, configurable vertically or horizontally, you will appreciate the versatility of this wood storage unit. It will most certainly find its place in your decor, whether next to your wood stove, close to your heater or the entrance where it can be used as a bench when positioned horizontally. For a pure and minimalist décor, the box can be integrated inside one of your walls. A finishing trim is provided for this flawless look. Very sturdy, this heavy-steel (14 ga) wood storage is powder-coated and can accommodate logs up to 18" in length. The steel frame contains four concealed wooden blocks to prevent premature wear of your floors. An accessories storage drawer (17" x 15" x 6") is available as an option. Conveniently put away the poker and shovel included with this drawer! Delivered in a compact package, this wood storage unit is very easily assembled. You will be impressed! Made in Canada.

AC02353	773388169422	YES	\$440.00	N/A	\$440.00
---------	--------------	-----	----------	-----	----------

DRAWER AND TOOL KIT FOR WOOD STORAGE INSERT



This accessory storage drawer (17" x 15" x 6") is a great addition to your wood storage. Store the poker and shovel, included with the drawer, for convenience! Look no further and collect all your things in one place.

AC02620	773388123684	YES	\$329.00	N/A	\$329.00
---------	--------------	-----	----------	-----	----------


DUPLEX FIREPLACE TOOL SET



This distinctive hearth tool set contains four instruments: poker, broom, shovel and scraper – all the tools needed to operate and maintain your wood-burning stove or fireplace. The clean lines and combination of steel and wood construction make a strong contemporary design statement. Height of accessories: 26 3/16" (66 cm). Proudly made in Quebec.

AC02621	773388123691	YES	\$239.00	N/A	\$239.00
---------	--------------	-----	----------	-----	----------

INEO FIREPLACE TOOL SET



This distinctive hearth tool set contains four quality implements: poker, broom, shovel and scraper - all you need to operate and maintain your wood-burning appliance. The clean lines and simplicity make a strong contemporary design statement. Kit height: 28 5/8" (73 cm). Proudly made in Canada.

AC02622	773388123707	YES	\$279.00	N/A	\$279.00
---------	--------------	-----	----------	-----	----------



PAPYRUS FIREPLACE TOOL SET

This distinctive hearth tool set contains four instruments: poker, broom, shovel and scraper - all you need to operate and maintain your wood-burning appliance. The dramatic use of steel makes a strong contemporary design statement. Kit height: 27 1/2" (69 cm). Ø 7 1/2" (19 cm). Proudly made in Canada.

AC02627	773388123752	YES	\$295.00	N/A	\$295.00
---------	--------------	-----	----------	-----	----------



FUSIO LOG HOLDER

This distinctive log holder combines steel and cherrywood; its curved shape makes a strong contemporary design statement. Make your life simpler by fueling your fire without ever being caught unprepared. Dimensions: 20"H x 18 1/2"W x 24"D. Made in Quebec with exceptional craftsmanship.

AC02628	773388176093	YES	\$329.00	N/A	\$329.00
---------	--------------	-----	----------	-----	----------



NORDIK FIREPLACE TOOL SET

This distinctive hearth tool set contains four instruments: poker, broom, shovel and clamp – all the tools needed to operate and maintain your wood-burning stove or fireplace. Its wooden base and steel structure gives it an industrial look, perfect for contemporary or rustic spaces. Height of stand: 20 7/8" (53 cm). Dimensions of base: 9 1/2" (24 cm) X 4 3/4" (12 cm). Made in France with exceptional craftsmanship.